

# GNC Electronic Reducer RME



## GNC Electronic Reducer RME Types

- Reducer RME 090 power range 20-90Kw
- Reducer RME 140 power range 90-140Kw
- Reducer RME 180 power range 140-180Kw
- Reducer RME 010 power range 10 Kw

# GNC Electronic Reducers RME

	Pressure 1° stage	Pressure 2° stage	Pressure 3° stage	Seat 1° stage D.	Seat 2° stage D.	Seat 3° stage D.	Diaphragm 1°-2° stages	Diaphragm 3° stage	Solenoid Valve seat D.
	( Bar )	( Bar )	( Bar )	( mm )	( mm )	( mm )	type and thickness (mm)	type and thickness (mm)	( mm )
Cng Reducer 090	1,7-3	0,55- 0,82	0,55	3	5,5	6,5	4 layers 2mm	natural fibers	7,5
Cng Reducer 140	1,7-3	0,55- 0,85	0,55	3	5,5	7	4 layers 2mm	natural fibers	7,5
Cng Reducer 180	1,7-3	0,85- 1,1	0,85	3	7	10	4 layers 2mm	natural fibers	9,5
Cng Reducer 010	1,7-3	0,10- 0,22	0,1	3	5,5	6,5	4 layers 2mm	natural fibers	7,5

# GNC Electronic Reducer maintenance

- MAINTENANCE KIT FOR CNG REDUCER RME 090 AND 140
- MAINTENANCE KIT FOR CNG REDUCER RME 180



## GNC Carburetor Kits

- CNG Kit Carburetor RME 090 with level switch
- CNG Kit Carburetor RME 140 with level switch
- CNG Kit Carburetor RME 090 w/o level switch
- CNG Kit Carburetor RME 140 w/o level switch



## GNC Injection Kits

- CNG Kit Injection RME 090 w/o level switch
- CNG Kit Injection RME 140 w/o level switch



## GNC Mini Kits

- CNG Minikit carburator RME 090 with level switch
- CNG Minikit carburator RME 140 with level switch
- CNG Minikit injection RME 090 with level switch
- CNG Minikit injection RME 140 with level switch
- CNG Minikit injection RME 090 w/o level switch
- CNG Minikit injection RME 140 w/o level switch



## CNG solenoid valve





## Petrol solenoid lock-off valve

